
DCS 6000 Digital Conference System



DIS is all about conferencing

Larity, precision and reliability are absolutely essential in today's world when important information is shared and decisions made in conferences and meetings. The DCS 6000 system is fully digital based on an innovative technology, providing crystal clear audio everywhere. The most efficient solution when the users need to hear and be heard.

Attractively styled microphone units are available in portable, tabletop or flush-mounted versions, all with lockable, RF resistant gooseneck microphones and optional voting facilities. The system is easily configured - and controlled either from the central unit - or managed by the SW 6000 Conference Management System.

All DCS 6000 system components are connected in the DCSLAN with standard flexible shielded Cat 5 cables to facilitate ease of installation and maintenance.

- Superior audio quality
- Intuitive, user-friendly operation
- · Scalable to meet the requirements of each meeting
- Fully integrated with web streaming and archiving
- · Easily interfaced to control systems such as AMX/Crestron
- Audio encryption for security needs
- The system meets every meeting's varying requirements
- Future-proof, upgradeable system design



The DCS 6000 Digital Conference System has specialized in meeting all conferencing demands - from a large customised installation in a historic City hall or parliament to a plug-andplay rental system



Attractive Styling



Large Scale Systems



Streaming and Archiving



Tailor Languages to Users



Customised Front Plates



Thin Clients - Terminal Server Set-up



3rd Party Software Management



Perfect for Rental Solutions



Touchscreen Conferencing™



The DIS Conference Discussion systems can be voice activated, push-to-talk and operator controlled

Conference Discussion

Simultaneous Interpretation with superb audio quality

omfort and reliability are essential values for an interpreter, and DIS has designed the DCS 6000 system to provide all the facilities needed in one user-friendly system to minimize the risk of misinterpretation. Adding the DCS 6000 remote network surveillance for monitoring the system status and performance ensures an unbeaten uptime.

Meets precisely your needs

When the subtlety of meaning can be lost in as much as a tone of voice, clear sound is vitally important to effective language interpretation. DIS has for many years cooperated with experienced interpreters world wide and listened to their needs providing the best speech intelligibility in one easy-to-use system.

The best sound quality available

- The DCS 6000 handles up to 8 active microphones plus 32 interpreted language channels simultaneously - all with excellent sound quality
- Each delegate may adjust the sound level individually
- Same listening level on all channels independent of the individual interpreter
- The system offers seamless integration with different audio and video equipment such as cameras, audio-/video mixers, digital recording etc.
- Language distribution through wired channel selectors or digital infrared distribution





Wireless digital infrared language distribution – ensures a good listening comfort for all meeting participants



Baltic Meeting



EU Commission, Belgium



World Bank Meetings, Dubai



CICG, Geneve



Beijing Olympics, China



Department of Foreign Affairs, Canada



OSCE, Slovenia



Organization of Islamic Countries, Iran




EU Presidency, Finland

Since our start in 1952, customers around the world have relied on DIS for simultaneous interpretation solutions.


Excellent Speech Intelligibility




Conference Discussion



Simultaneuos Interpretation & Language Distribution






VUS - Versatile, Upgradeable, Scalable

V US – the unique DIS feature which provides the best cost/benefit ratio for all users and applications, from large parliamentary solutions to smaller board rooms.

V for Versatility – a perfect solution for both fixed installations with specific high-tech requirements and highly flexible set-ups for rental events and everything in-between. Due to the fully digital features of the system all components can be connected and combined to fit all architectural requirements of the meeting. Programmable conference units – one unit for all users!

U for Upgradeability – by purchasing a DCS 6000 system will result in unrivaled longevity. It can always be upgraded with the newest firmware releases (allowing you to add features such as encrypted sound, VOX, voting, as well as increase the number of languages in combination with the size of the system), and the latest SW 6000 releases are always at hand to enable upgrading the system at any time.

S for Scalability – from the smallest conference system all the way to a large (up to 4000 units) congress solution. The DCS 6000 system manages it all. Simply expand the system by adding extra power supplies and more units. The modularity of the DIS firmware and software applications means that you can tailor the features and facilities of the system to your exact needs and requirements. Cost effective and flexible.



Maximum audio quality even in acoustically difficult rooms - RF resistant gooseneck microphones



Conference Discussion



Simultaneous Interpretation



Voting & Audience Response



Language Distribution



Streaming & Archiving



Conference Management



Touchscreen Conferencing™



Standard CAT5 Cabling



Web Interface to 3rd Party Applications

Just connect the DCS 6000 system components to the central unit, switch on the power and you are ready to work.

VUS in one Conference System



System Components DCS 6000

Central Equipment



CU 6011 / CU 6005 Central Unit for interpretation, microphone and voting control



EX 6010 Extension Unit with power supply and repeater



AO 6008 8 channels analogue Audio Output unit



JB 6002 / JB 6004 Junction Box for connecting one unit to each of the 2/4 output connectors



RP 6004 Repeater for in/outgoing bus



PS 6000 Power Supply for providing additional power to the DCS-LAN



AO 6004 4 channels analogue Audio Output unit

Interpretation Equipment / Language Distribution



IS 6132 Interpreter Set for up to 32 channels



LS 6132 Loudspeaker



RA 6013 **Digital Radiator**



RA 6025 **Digital Radiator**

DR 6004 DR 6008

DR 6032 Digital infrared Receiver 4, 8 or 32 channels



CS 6032F Channel Selector, horizontal, flush mount



CS 6032F Channel Selector, vertical, flush mount



DH 6001H Delegate Headphone



IH 6000 Interpreter Headset



DH 6021 Delegate stereo headphone



DH 6023 Delegate stetoscopic headphone







DH 6025 delegate clip headphone



DT 6008 / DT 6032 Digital infrared Transmitter with 8 or 32 channels

Delegate/Chairman (Conference) Equipment



Universal unit with built in speaker, XLR, chipcard reader, channel selector and touch screen



DM 6680P Delegate unit with built in speaker, XLR, chipcard reader, channel selector (available ult. 2009)



DM 6010P Delegate unit with built in speaker and fixed gooseneck microphone

DM 6020P Delegate unit with built in speaker and XLR for GM 65xx CM 6010P Chairman version CM 6020P Chairman version



DM 6070P Delegate unit with built in speaker, 2 channel selectors and fixed gooseneck microphone

DM 6090P Delegate unit with built in speaker, 2 channel selectors and XLR for GM 65xx

CM 6070P Chairman version CM 6090P Chairman version



DM 6560F Delegate Microphone unit with 3 voting buttons, built in speaker, chipcard reader and channel selector. CM 6560F Chairman version



DM 6510F Delegate Microphone unit with 3 voting buttons, built in speaker and chipcard reader. CM 6510F Chairman version



FD 4020 Delegate Flush Mount unit with loudspeaker and XLR connector FC 4020 Chairman version



HM 4042 Hand Microphone



CM 6060F Chairman Microphone unit with built in speaker and channel selector. DM 6060F Delegate version



FC 4021 Chairman Flush Mount unit with loudspeaker and XLR FD 4021 Delegate version



GM 6523 / GM 6524 Gooseneck Microphone 40 cm and 50 cm long – suitable for all applications



MU 6040C / MU 6040D Microphone Unit for connection of external microphone/buttons/speaker. Delegate, chairman and dual delegate versions



AM 6040 Ambient Microphone unit for detecting ambient noise in a conference room



UNCONVENTIONAL

•

About DIS

DIS, Danish Interpretation Systems is one of the world's leading brands of advanced conference electronics. DIS provides complete system solutions of advanced electronic conference products to the global meeting industry on a permanent or rental supply basis. Conference Microphone and Discussion Systems, Simultaneous Interpretation and Translation Systems, Language Distribution Systems, Conference Voting and Audience Response Systems. DIS is engaged in product development, manufacturing and worldwide sales and has more than 50 years of experience in serving global clients in the meeting and communication industry. The DIS products today are the result of decades of accumulated know-how combined with the usage of the latest available digital technologies. DIS is a subsidiary of the Danish company Informationsteknik Scandinavia Group and is represented through a global partner network in more than 80 countries. DIS offices are to be found in Denmark, Norway, Sweden, Dubai UAE, Mexico and Thailand.

For more information visit www.dis.cc

Danish Interpretation

Systems A/S Vestre Teglgade 12 DK-2450 Copenhagen SV Denmark Tel. +45 33 85 40 40 Fax +45 33 85 40 41 info@dis.cc

DIS Asia Pacific

1497 Soi Latphrao 94 (Town in town 3/2) Latphrao Rd., Wongtonglang Bangkok 10310 Thailand Tel. +662 559 3420 Fax +662 559 3424 bangkok@ dis.cc

DIS Middle East

LOB 15; Office 221 Jebel-Ali Free Zone P.O. Box 17343 UAE Tel. +971 4 88 71 915 Fax +971 4 88 71 897 dubai@dis.cc

DIS Americas

Prolongacion 22 de Febrero No. 72A Barrio de San Pedro C.P. 62520 Tepoztlán, Morelos Mexico Tel. / Fax +52 739 39 531 54

www.dis.cc

Your Local Contact: